RDC-TMD Clinical Examination

Name	ie				Date					Examiner					
I. Reviev	v History														
	Presence of facial pain			0 NO	NE	1 RIGH	1 T	T 2		•••	3 BOTH				
	Location of facial pain 물		ght	None	Mus	scle Joi	nt Botl	h left	None	Musc	cle Joint	Both			
			Ξ	0	1	2	3	j	0	1	2	3			
II. Opening pattern					1		_				(5) Speci	fy:			
	Straight Right lateral deviation (uncorred) Right corrected				0 1 2	Left late Left corr Other		on (uncorrected		3 4 5					
III. Vertic	- Vertical ROM					Right side pain					t side pain				
	Incisor used: 8 9			mm	None	e Muscle	Joint	Both	None	e Mus	scle Join	t Both			
	Pain-free opening														
	Max unassisted opening Max assisted opening				0	1	2	3	0	,	1 2	3			
					0	1	2	3	0		1 2	3			
IV. Incis	Vertical overlap Horizontal distanc	e _	mm	_											
	Midline			mar	ndibular	midline is	: R L	- rela	ative to ma	axilla					
V. Horizontal Excursions					Right	side pain		Left side pain							
	Right lateral Left lateral			mm	None	Muscle	Joint	Both	Both None		cle Joint	Both			
					0	1	2	3	0	1	2	3			
					0	1	2	3	0	1	2	3			
	Protrusive	_			0	1	2	3	0	1	2	3			
VI. Joint sounds: open (≥ 2 of 3 trials, by palpation with opening) None C			CI		es parse	Fine crepitus	Locatio of click mm		Eliminate o Yes	click N/A					
,,	Left: OPEN	0	- Ci	1	1	1	111111	C) 1	2					
	Left: CLOSE	0		' 1	1	1		_ 6		2					
	Right: OPEN	0		1	1	1		_ c		2					
	Right: CLOSE	0		1	1	1		c	1	2					
Sounds	Sounds: horizontal			Rię	Right sounds				Left sounds						
	(≥ 2 of 3 trials, on excursion)	No	ne	Clic		Coarse crepitus	Fine crepitus	Non	e CI	ick	Coarse crepitus	Fine crepitus			
	Excursion right	0		1		1	1	0		1	1	1			
	Excursion left	0		1		1	1	0		1	1	1			
	Protrusion	0		1		1	1	0		1	1	1			

VII. Muscle & joint pain with palpation													
					RIGHT				LEFT				
		RDC Protocol					RDC Protocol						
		no	mild	mod	sevr	no	mild	mod	sevr				
Non-pain sites													
Mastoid (latera	al superior portion)	0	1	2	3	0	1	2	3				
Frontal (in-line	with pupil, below hair)	0	1	2	3	0	1	2	3				
Vertex (1 cm la	ateral to cranial top)	0	1	2	3	0	1	2	3				
Extra-oral & cervical mu	scles												
Posterior tempo	ralis (back of temple)	0	1	2	3	0	1	2	3				
Middle temporal	is (middle of temple)	0	1	2	3	0	1	2	3				
Anterior tempora	alis (front of temple)	0	1	2	3	0	1	2	3				
Masseter-origin	(cheek, under cheekbone)	0	1	2	3	0	1	2	3				
Masseter-body	(cheek, side of face)	0	1	2	3	0	1	2	3				
Masseter-inserti	on (cheek, jaw-line)	0	1	2	3	0	1	2	3				
Post mandibular	r region (jaw, throat area)	0	1	2	3	0	1	2	3				
Submandibular	region (under chin)	0	1	2	3	0	1	2	3				
Joint pain			·	•									
Lateral pole (ou	tside)	0	1	2	3	0	1	2	3				
Posterior attach	ment (inside ear)	0	1	2	3	0	1	2	3				
Intra-oral muscles													
Lat pterygoid are	ea (behind upper molars)	0	1	2	3	0	1	2	3				
Tendon of temp	oralis (tendon)	0	1	2	3	0	1	2	3				